

GBA Gesellschaft für Bioanalytik mbH · Goldtschmidtstr. 5 · 21073 Hamburg

Cargill Türkiye Dilovasi
Frau Kaya
Çerkesli Köyü Yolu Gebze 5
41455 Dilovasi/Kocaeli
Turkey



Contact person:
Laura Wogan
Phone +49 40 797172-442
l.wogan@gba-group.de

Certificate of analysis 21072050 - 010

Sample name : LYGOMME FM 4600 KOSHER
Marking of sample : Batch No.: 2019-110
Customer No. : none
Packaging : Plastic vessel
Sample amount : 1 x 62 g
Shipping of sample : Courier Service
Sample entry : 14.12.2021
Entrance temperature : Room temperature
Sample taken : by sender
Begin/end of analysis : 14.12.2021 / 16.12.2021

The results are only based on the items tested. The GBA test report may not be published without the express written consent of the GBA Group, nor may excerpts of it be reproduced without permission. GBA decision rules can be seen in the general terms and conditions.

1 von 2




Certificate of analysis : 21072050 010
Sample name : LYGOMME FM 4600 KOSHER

Test Results

<i>Pesticides and related substances</i>	<i>Result</i>	<i>Unit</i>
Ethylene oxide		
Ethylene oxide, free	<0,010	mg/kg
2-chloro-ethanol	0,19	mg/kg
Ethylene oxide, total	0,10	mg/kg

Hamburg, 16.12.2021



i. A. L. Wogan

(Certified Food Chemist / Customer Service)

Methods

<i>Parameter</i>	<i>Method</i>
Ethylene oxide	HH-MA-M 03-064, GC-MS/MS: 2021-09 ^a

With ^a marked methods are accredited.
Testing laboratory: 0GBA Hamburg